



National Environmental Health Association

303-756-9090
720 S. Colorado Blvd., Suite 1000-N, Denver, CO 80246-1926
staff@neha.org

The National Environmental Health Association (NEHA) represents more than 6,700 governmental, private, academic, and uniformed service sector environmental health professionals in the U.S. and its territories and internationally. NEHA is the profession's strongest advocate for excellence in the practice of environmental health as it delivers on its mission to build, sustain, and empower an effective environmental health workforce.

Policy Statement on Recreational Waters: Model Aquatic Health Code

October 2020

Sunsets: October 2023

NEHA supports national, state, and local policies, regulations, research, and resources that will enhance the abilities of environmental health professionals to ensure aquatic venue safety and to protect public health. NEHA recommends the following for state, local, tribal, and territorial government agencies:

- Incorporation of the Model Aquatic Health Code (MAHC) into state and local regulations and public health policies to reduce aquatic injury and illness.
- Participation in the Council for the Model Aquatic Health Code (CMAHC) to provide input and vote on future editions of the MAHC.
- Performance of pool inspections that is based on the MAHC to ensure safety and provide uniform data on aquatic health.
- Encouragement of the public to engage in safe and hygienic swimming behavior.
- Use of the MAHC to standardize pool inspections across jurisdictions and to encourage uniform understanding of and compliance with aquatic health and safety requirements.
- Assurance that regulatory agencies have the resources, as well as the training and guidance needed, to conduct inspections of aquatic facilities.
- Investment in research to ensure that improvement of aquatic facility design and operation is a part of the national research agenda.

Analysis

Americans make more than 300 million trips to swimming pools and other aquatic facilities every year, making water activities among the most popular forms of physical exercise and recreation in the nation

(Centers for Disease Control and Prevention [CDC], 2016a). Swimming can reduce the risk of chronic illness, improve mental health, and provide a source of exercise for the elderly (CDC, 2016b).

The MAHC draws on the experience of all sectors involved and presents a set of guidelines using science and evidence-based best practices. Its mission is to provide guidance on how “state and local officials can transform a typical health department pool program into a data-driven, knowledge-based, risk reduction effort to prevent disease and injuries and promote healthy recreational water experiences” (CDC, 2014). Jurisdictions can choose to adopt the MAHC in its entirety or use sections to amend or supplement current codes. This flexibility, combined with the many performance based and prescriptive standards, allows health departments to tailor the MAHC to fit their needs.

Local and state health departments can lack the resources and expertise necessary to maintain an effective and up-to-date code. The MAHC is designed to be updated biennially by CMAHC, an organization composed of regulators, industry experts, and MAHC users in order to remain current and to continue to include best practices. Health departments can instead focus their resources on conducting facility inspections and preventing illness and injury.

The MAHC covers all aspects of aquatic facilities including design, operation, maintenance, policies, and management. Facility design includes secondary disinfection requirements for venues that are at an increased risk due to intrinsic characteristics of its users. This requirement is applicable to new construction or aquatic facilities undergoing substantial alterations and will help to reduce the impact of chlorine-resistant pathogens such as *Cryptosporidium*. The MAHC also provides facility layout requirements that encourage bather hygiene, including the location of showers and diaper changing stations to maximize their use and to reduce the introduction of contaminants into the water. Requirements for barriers to entry, self-closing gates, uniform depth markings, and warning signs are intended to reduce drowning and injury. Operation and maintenance requirements govern the disinfection process crucial to killing pathogens and preventing chemical injury. The MAHC also includes guidelines on how and when to test the water to confirm that it is maintained in a condition that is acceptable for swimmers. The policies and management section of the MAHC contains training requirements to ensure lifeguards and pool operators are qualified and properly trained.

Implementing measures to reduce the inherent risks associated with engaging in these types of activities can be challenging for environmental health professionals. There is no federal regulatory agency that oversees aquatic facilities; therefore, the task falls to state and local governments. Regulations governing aquatic facilities differ widely across the nation, with many codes that are outdated or lack the breadth to adequately protect public health in aquatic settings. The lack of uniformity in health codes might create confusion for designers and builders who operate across jurisdictions and for interstate businesses such as hotel chains. A recent study showed aquatic facility inspection findings, specifically violations and closures, under current health codes. In the five states included in the report, approximately 80% of inspections identified at least one health code violation and nearly one in eight inspections identified threats to public health serious enough to warrant immediate closure of the facility. Common violations included improper disinfectant concentrations and pH levels, lack of required safety equipment, and unsafe pool chemical practices such as disinfectant chemicals being improperly labeled or stored (Hlavsa et al., 2016).

Aquatic facilities that do not meet health codes or follow codes that do not reflect the latest science and best practices might not minimize the risk of recreational water illness and injury and protect public health. Pool water might be contaminated by human and environmental sources and could become a

vehicle for transmission of pathogens once they are introduced into the water. One of the ways swimmers can introduce potentially infectious microorganisms into pool water is from contaminants washing off their skin. For this reason, bather hygiene is particularly important for protecting public health. By analyzing shower water samples, one study demonstrated that most contaminants can be removed from the skin by a 60-second pre-swim shower (Keuten, Schets, Schijven, Verberk, & Van Dijk, 2012).

Reported disease outbreaks associated with aquatic facilities have increased over recent decades. From 1978–2012, 650 disease outbreaks associated with aquatic facilities were reported to the Centers for Disease Control and Prevention (Hlavsa et al., 2016). A study that looked at only 2011–2012 data documented 69 waterborne outbreaks in treated U.S. waters, resulting in 1,309 cases of illness and one death (Hlavsa et al., 2015). The increase in the number of outbreaks associated with the chlorine-resistant pathogen *Cryptosporidium*, beginning in the early 1990s, has contributed significantly to the rise in recreational water-associated outbreaks reported annually. *Cryptosporidium* was the most common agent in the outbreaks reported from 1978–2012 and accounted for 52% of outbreaks from 2011–2012, infecting as many as 144 people in a single outbreak (Hlavsa et al., 2015, 2016). While chlorine does not effectively treat *Cryptosporidium* at levels normally maintained for disinfection and bather comfort, it does inactivate many other pathogens at these levels. Outbreaks of chlorine susceptible pathogens illustrate the prevalence of improper operation and maintenance, which produces inadequate disinfectant concentrations and pH levels.

A 2012 study analyzed medical and pharmaceutical insurance claim information to assess the cost of treatment for selected waterborne diseases. This study estimated that treatment of cryptosporidiosis costs \$9,000–\$20,000 for hospitalized cases and \$270–\$760 for outpatient treatment. Legionnaires' disease, which is also sometimes associated with treated recreational water illness outbreaks, was estimated to cost \$27,000–\$38,000 for inpatient treatment and \$560–\$590 for outpatient treatment (Collier et al., 2012).

In addition to increasing the risk of waterborne illness, improper operation, water chemistry issues, and equipment failures can cause injuries. Injuries associated with pool chemicals led to approximately 3,000–5,000 visits to emergency departments every year from 2003–2012. These injuries can be the result of equipment failure, operational errors, and lack of oversight. Common adverse health effects to bathers include irritation of the skin, eyes, nose, and throat. Improper chemical use and storage can also lead to injury. Chemical burns, respiratory irritation, headache, and nausea can occur from improper mixing and handling of chemicals (Hlavsa, Robinson, Collier, & Beach, 2014). Aspects of facility design can also affect exposure to pool chemicals and disinfection byproducts. In 2007, 665 reports of respiratory and eye irritation were documented among employees and patrons at a newly opened indoor water park in Ohio. An investigation determined that the ventilation system installed at the time was insufficient to reduce levels of airborne pool chemicals (Chen et al., 2008).

Aquatic venues can also be associated with other injuries. An average of 379 children younger than 15 years fatally drowned in pools and spas every year from 2015–2017. Of these incidents, 20% occurred in public or regulated facilities. In the 5 to 14-year-old age range, however, public venues were the location of 42% of fatal pool and spa drownings (Consumer Product Safety Commission, 2020). Drowning is also the leading cause of injury death in children 1–4 years old, with one half of all fatal drowning events in this age group occurring in swimming pools. Additionally, it is estimated that for every 10 children who fatally drown, 140 are treated in emergency rooms and 36 are admitted to hospitals for further treatment (World Health Organization, 2006). The average cost of hospitalization for nonfatal drowning

for all ages, including both medical expenses and work lost, is approximately \$284,000. For fatal drowning, the average combined cost is over \$1.2 million per incident (CDC, 2020). Aspects of pool design that can reduce the risk of drowning include proper barriers to entry and emergency equipment. The presence of qualified lifeguards can also be an important prevention measure.

Furthermore, injuries can result from falls on the pool deck, broken glass near the pool area, overcrowding, or entrapment. From 2001–2008, more than 30,000 children younger than 10 years visited emergency departments for swim-related injuries. Failure to disseminate and enforce safety guidelines likely contributed to this number (Blake & Peters, 2012). Entrapment incidents can cause severe injury or death and resulted in 29 injuries and 5 fatalities in public pools and spas from 1999–2010 (Consumer Product Safety Commission, 2011). Additionally, spinal injuries can result from diving into water that is too shallow, especially when the depth of the pool is unknown or improperly marked.

References

Blake, R., & Peters, J. (2012). Model Aquatic Health Code (MAHC) and International Swimming Pool and Spa Code (ISPSC). *Journal of Environmental Health*, 74(9), 36–39.

Centers for Disease Control and Prevention. (2014). *The Model Aquatic Health Code: The code* (1st ed.). Atlanta, GA: Author. Retrieved from <https://www.cdc.gov/healthywater/pdf/swimming/pools/mahc/Complete-First-Edition-MAHC-Code.pdf>

Centers for Disease Control and Prevention. (2016a). *Use of the Model Aquatic Health Code to make swimming healthy and safe*. Retrieved from http://www.cdc.gov/mahc/pdf/mahc_factsheet.pdf

Centers for Disease Control and Prevention. (2016b). *Health benefits of water-based exercise*. Retrieved from http://www.cdc.gov/healthywater/swimming/swimmers/health_benefits_water_exercise.html

Centers for Disease Control and Prevention (2020). *Injury prevention & control: WISQARS—Web-based Injury Statistics Query and Reporting System*. Retrieved from <http://www.cdc.gov/injury/wisqars>

Chen, L., Dang, B., Mueller, C., Dunn, K.H., Almaguer, D., Ernst, J.L., & Otto, C.S., III. (2008). *Investigation of employee symptoms at an indoor waterpark* (Health Hazard Evaluation Report, HETA 20070163-3062). Mason, OH: U.S. Department of Health and Human Services, Centers for Disease Control and Prevention, National Institute for Occupational Safety and Health. Retrieved from https://www.cdc.gov/nceh/ehs/docs/investigation_of_employee_symptoms_at_an_indoor_waterpark.pdf

Collier, S.A., Stockman, L.J., Hicks, L.A., Garrison, L.E., Zhou, F.J., & Beach, M.J. (2012). Direct healthcare costs of selected diseases primarily or partially transmitted by water. *Epidemiology and Infection*, 140(11), 2003–2013.

Consumer Product Safety Commission. (2011). *1999–2010 reported circulation/suction entrapments associated with pools, spas, and whirlpool bathtubs, 2011 report*. Bethesda, MD: Author. Retrieved from <https://cpsc.gov/s3fs-public/pdfs/entrap11.pdf>

Consumer Product Safety Commission. (2020). *Pool or spa submersion: Estimated nonfatal drowning injuries and reported drownings, 2020 report*. Bethesda, MD: Author. Retrieved from <https://www.cpsc.gov/s3fs-public/2020-Submersion-Report-4-29-20.pdf>

Hlavsa, M.C., Gerth, T.R., Collier, S.A., Dunbar, E.L., Rao, G., Epperson, G., & Beach, M.J. (2016). Immediate closures and violations identified during routine inspections of public aquatic facilities—Network for aquatic facility inspection surveillance, five states, 2013. *Morbidity and Mortality Weekly Report Surveillance Summaries*, 65(5), 1–26.

Hlavsa, M.C., Roberts, V.A., Kahler, A.M., Hilborn, E.D., Mecher, T.R., Beach, M.J., & Yoder, J.S. (2015). Outbreaks of illness associated with recreational water—United States, 2011–2012. *Morbidity and Mortality Weekly Report*, 64(24), 668–672.

Hlavsa, M.C., Robinson, T.J., Collier, S.A., & Beach, M.J. (2014). Pool chemical-associated health events in public and residential settings—United States, 2003–2012, and Minnesota, 2013. *Morbidity and Mortality Weekly Report*, 63(19), 427–430.

Keuten, M.G., Schets, F.M., Schijven, J.F., Verberk, J.Q., & van Dijk, J.C. (2012). Definition and quantification of initial anthropogenic pollutant release in swimming pools. *Water Research*, 46(11), 3682–3692.

World Health Organization. (2006). Drowning and injury prevention. In *Guidelines for safe recreational water environments. Volume 2: Swimming pools and similar environments* (pp. 12–25). Geneva, Switzerland: Author. Retrieved from https://www.who.int/water_sanitation_health/publications/safe-recreational-water-guidelines-2/en/

Drafted by: NEHA Staff and Technical Advisors

James Dingman, MS, REHS, RS, DLAAS, CEO, CPO, Environmental Health Manager, City of Plano, TX

Jeremy Harper, REHS, Environmental Health Supervisor, Southern Nevada Health District, Las Vegas, NV

Amanda Long Tarrier, MPH, Principal Sanitarian, Bureau of Community Environmental Health and Food Protection, New York State Department of Health, Albany, NY

Christopher Lane, MPH Student, Colorado School of Public Health, Denver, CO